

CHOOSE THE POWER OF PERFORMANCE

MeD

SOUL SOUL

FERODO



www.ferodoracing.com

71



FERODO

1140915

WEC

TEAR

MINERVA QUE



Akkodis ASP Team, Le Mans 24h/FIA World Endurance Championship



www.ferodoracing.com

RULE THE TRACK!

Le Mans 24H, Spa 24H, Nürburgring 24H, Dubai 24H: Ferodo Racing's latest brake pad compounds, **TL180** (front) and **TL163** (rear), have demonstrated their pedigree of durability and superior braking performance in the biggest endurance events.

For a sprint race performance, endurance race longevity brake pads: Choose FERODO Racing, Choose the power of performance!





TECHNICAL INFORMATION	4
APPLICATIONS & SHAPES	9
TECHNICAL DRAWINGS	16





Ferodo Racing has one of the widest ranges of pad shapes in the racing and high-performance brake pad market. This fitment range is available with several compounds, the choice of which depends upon application and driver preference. Each compound is identified by a specific suffix, indicated here-below in brakes near the compound name when it differs.

Discover more about the Ferodo Racing offer!

DS3.12 (G/GB)

- High friction coefficient and high initial bite
- ABS compatible
- Applications: recommended for track use on larger vehicles with ABS such as GT4 and GT3, sprint and medium duration races (up to 6 hours)
- Reproducible and stable performance up to 850°C under all pressure and speed conditions

TL66

- High friction coefficient and high initial bite, similar to DS3.12 but with less torque build-up during the stop for enhanced controllability
- ABS compatible
- Together with DS3.12 it has the longest pad life of the Ferodo Racing range under heavy duty track use
- Applications: recommended for track use on larger vehicles with ABS such as GT4 and GT3 and also works well in rally
- Reproducible and stable performance up to 800°C under all pressure and speed conditions
- It has been used at the Nürburgring and SPA 24 hour events

TL180

- Highest friction coefficient in Ferodo's heavy-duty range
- ABS compatible
- Reduces disc peak temperatures
- Applications: recommended for track use on heavy high-powered cars such as GT3, GT2, sprint and endurance duration races
- Reproducible and stable performance up to 850°C under all pressure and speed conditions

DSUNO (Z/ZB)

- Heavy duty semi-endurance material
- Very controllable torque output
- Very kind to discs
- Long life
- Applications: touring car, GT, single seat, rally
- Average friction coefficient 0.48 over working temperature range of 200°-750°C

DS1.11 (W/WB)

- Heavy duty endurance material
- Long life
- · Very kind to discs
- Applications: touring car, GT, single seat
- Average friction coefficient 0.46 over working temperature range of 200°-750°C

BRAKE PADS TECHNICAL INFORMATION



DS3000 (R)

- Heavy duty all-round material choice
- Short bedding time
- Applications: touring car, rally, Group N, single seat, hill-climb
- Average friction coefficient 0.48 over working temperature range of 200°-650°C

FER4003 (C)

- Light/medium duty race material specifically for Formula cars, occasional rally
- Very short bedding time
- Excellent bite
- Low drag and excellent release
- Offers control to avoid wheel lock when downforce reduces
- Average friction coefficient 0.46 over working temperature range of 100° 550° C

DS2500 (H)

- \bullet Road style refinement but with race material ability to withstand heat with respect to life and μ
- Applications: track day & light race use for all vehicle types
- Average friction coefficient of 0,41 over working temperature range of 0° 500° C

TL163

- Replaces DB
- Low friction coefficient with very flat torque profile
- ABS compatible, minimizing wheel lock-ups and excessive slip towards the end of the stop
- Applications: recommended for track use on rear calipers
- Reproducible and stable performance up to 750°C under all pressure and speed conditions

WARNING: DS2500 does not have ECE R90 certification, thus it is not recommended for road use in those countries which require ECE R90. All the other Ferodo Racing compounds are not suitable for road use. All test results above are based on various internal and external performance and driving tests including specific personal recommendations by experienced test drivers. Technical performance results are available upon request.



FERODO

The charts and tables below compare the various Ferodo Racing materials and help you to go for the best option, depending on your vehicle and use.

MU VS TEMPERATURE







FERODO®

RELATIVE PERFORMANCE CHARACTERISTICS UNDER HEAVY-DUTY RACE CONDITIONS

	Pad Life	Disc Life	Initial Bite	Average mu	Fade	Pedal Feel (Travel)	Release
DS3.12 (G/GB)	*****	*****	*****	*****	*****	*****	*****
TL66	*****	******	*****	*****	*****	*****	*****
TL180	*****	*****	*****	*****	*****	*****	******
DSUNO (Z/ZB)	****	*****	****	*****	*****	******	*****
DS1.11 (W/WB)	*****	*****	*****	*****	*****	*****	*****
DS3000 (R)	******	****	*****	*****	*****	*****	******
FER4003 (C)	*****	*****	*****	******	*****	*****	*****
DS2500 (H)	******	****	******	******	******	******	******
TL163	****	*****	*****	*****	*****	*****	*****

SUGGESTED APPLICATIONS

Note: FRONT = Front Axle - REAR = Rear Axle

Note: Moderate * Excellent ******

	R90 homologated for Road use	Track day	Rally & Rally cross	Touring Car	GT, NASCAR, V8	Formula (Low inertia)	Formula (High inertia)
DS3.12 (G/GB)			FRONT/REAR	FRONT	FRONT		FRONT/REAR
TL66			FRONT/REAR	FRONT	FRONT/REAR		FRONT/REAR
TL180			FRONT	FRONT	FRONT		
DSUNO (Z/ZB)			FRONT/REAR		REAR		FRONT/REAR
DS1.11 (W/WB)				REAR	REAR	FRONT/REAR	FRONT/REAR
DS3000 (R)			FRONT/REAR	FRONT		FRONT/REAR	
FER4003 (C)				REAR		FRONT/REAR	
DS2500 (H)		FRONT/REAR		REAR		FRONT/REAR	
TL163				REAR	REAR		



WARNING: DS2500 does not have ECE R90 certification, thus it is not recommended for road use in those countries which require ECE R90. All the other Ferodo Racing compounds are not suitable for road use. All test results above are based on various internal and external performance and driving tests including specific personal recommendations by experienced test drivers. Technical performance results are available upon request.



FERODO®

Discover the Ferodo Racing shapes and compounds selection for your vehicle model!

MANUFACTURER	MODEL	TYPE	FRONT	COMPOUND	REAR	COMPOUND
ABARTH	124 ABARTH RALLY	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
ABARTH	GRANDE PUNTO S2000	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
ABARTH	PUNTO S1600	RALLY	FRP1077	R/Z/G		
ALPINE	A110 CUP	GT4	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB
ALPINE	A110 GT4	GT4	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB
ASTON MARTIN	DBRS-9 GT2	GT2	FRP3031	TL66 / GB	FRP3029	TL163/H /W
ASTON MARTIN	DBRS-9 (GT3 FROM 2012)	GT3	FRP3110	TL66 / GB / TL180	FRP1078	TL163/WB
ASTON MARTIN	VANTAGE GT3 2018-> 2023	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163/WB
ASTON MARTIN	VANTAGE GT3 EV0 2024 ->	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163/WB
ASTON MARTIN	DBRS-9 GT4 ENDURANCE	GT4	FRP3110	TL66 / GB	FRP3029	TL163 / H / W
ASTON MARTIN	DBRS-9 GT4 SPRINT	GT4	FCP1334	W/Z/G		
ASTON MARTIN	VANTAGE	GT4	FRP3014	GB / TL66	FRP302	TL163 / W
ASTON MARTIN	DBRS-9 GTE UP TO 2017	GTE	FRP3110	TL66 / GB / TL180	FRP1078	TL163 / WB
ASTON MARTIN	VANTAGE GTE UP TO 2017	GTE	FRP3031	TL66 / GB	FRP1078	TL163 / WB
AUDI	R8 2019	GT2	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / TL66 / WB
AUDI	R8 GT3 EVO 1 2019 -> 2021	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / TL66 / WB
AUDI	R8 GT3 EVO 2 2022 ->	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / TL66 / WB
AUDI	R8 GT3 LMS 2009 -> 2014	GT3	FRP3110	TL66 / GB / TL180	FRP1078	TL163 / H / TL66 / WB
AUDI	R8 GT3 LMS 2015 - > 2018	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / TL66 / WB
AUDI	R8 GT4 2018 ->	GT4	FRP3128	GB	FRP1078	TL163 / H / WB
AUDI	RS3 LMS	TCR	FRP3014	GB / TL180	FCP825	H/W
BENTLEY	CONTINENTAL GT3 UP TO 2014->2017	GT3	FRP3150	GB	FRP1078	TL163 / WB

FERODO

MANUFACTURER	MODEL	TYPE	FRONT	COMPOUND	REAR	COMPOUND
BENTLEY	CONTINENTAL GT3 2018 ->	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163/WB
BMW	M4 GT3 2022	GT3	FRP3155	TL66 / GB / TL180	FRP1078	TL163 / WB
BMW	Z4 GT3	GT3	FRP3039	GB	FRP302	TL163 / W
BMW	M4 GT4 up to 2022	GT4	FRP3150	GB	FRP1078	TL163/WB
BMW	M4 GT4 from 2022	GT4	FRP3155	TL66 / GB	FRP1078	TL163/WB
BMW	X3 RALLYRAID	RALLY	FRP3088	R / Z / G	FRP3088	R / Z / G
CHEVROLET	CORVETTE C6 GT3 (OPTIONAL BRAKE)	GT3	FRP3110	TL66 / GB / TL180	FRP212	W
CHEVROLET	CAMARO GT4	GT4	FRP3153	TL66 / GB / TL180	FRP3137	W/H
CITROEN	DS3 R5	RALLY	FRP1077	R/Z/G	FRP1077	R/Z/G
DALLARA	F3 F308	FORMULA	FRP3103	W/Z/G	FRP3103	W/Z/G
DALLARA	F3 F312	FORMULA	FRP3103	W / Z / G	FRP3103	W/Z/G
DALLARA	F3 F315	FORMULA	FRP3103	W / Z / G	FRP3103	W / Z / G
DALLARA	F3 F318	FORMULA	FRP3103	W/Z/G	FRP3103	W/Z/G
DALLARA	FIA F3	FORMULA	FRP308	W / Z	FRP308	W / Z
DALLARA	GP3	FORMULA	FRP308	W/Z	FRP308	W / Z
DODGE	VIPER GT3	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / WB
DODGE	VIPER GTE	GTE	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / WB
DUQUEINE	D-08 LMP3	LMP3	FRP3159	GB	FRP3159	GB
FERRARI	430	GT2	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB
FERRARI	458 GT2	GT2	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB
FERRARI	430	GT3	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB
FERRARI	296 GT3 2023 ->	GT3	FRP3155	GB/TL180	FRP1078	TL163/WB
FERRARI	458 GT3 ENDURANCE	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / WB
FERRARI	458 GT3 SPRINT	GT3	FRP3128	GB	FRP1078	TL163 / H / WB
FERRARI	488 GT3 ENDURANCE	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / WB
FERRARI	488 GT3 SPRINT	GT3	FRP3128	GB	FRP1078	TL163 / H / WB

BRAKE PADS APPLICATIONS & SHAPES



MANUFACTURER	MODEL	TYPE	FRONT	COMPOUND	REAR	COMPOUND
FERRARI	458 GTE	GTE	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / WB
FERRARI	488 GTE	GTE	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / WB
FORD	MUSTANG S197 BOSS 302R (GS/GTS/T1)	GT	FRP3029	Z		
FORD	MUSTANG GT4	GT4	FRP3153	TL66 / GB / TL180	FRP302	TL163/W
FORD	FIESTA R5 MK1 UP TO 2019	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
FORD	FIESTA Rally2 MK2 from 2020	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
FORD	FIESTA S2000	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
FORD	FIESTA WRC	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
FORD	FIESTA WRC PLUS	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
GINETTA	G55 GT4 2016 ->	GT4	FRP3014	GB / TL66	FRP1077	H/W/Z
GINETTA	LMP3	LMP3	FRP3031	TL66 / GB / TL180	FRP3031	TL66/GB/ TL180
HONDA	NSX	GT3	FRP3150	GB	FRP1078	TL163 / H / WB
HONDA	CIVIC TCR up to 2022	TCR	FRP3014	GB / TL180	FCP825	H/W
HONDA	CIVIC TCR from 2023	TCR	FRP3167	G / TL180	FCP825	H/W
HYUNDAI	i20 R5 from 2020	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
HYUNDAI	i20 Rally2 from 2021	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
HYUNDAI	i20 WRC	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
HYUNDAI	i20 WRC PLUS	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
HYUNDAI	i30 TCR	TCR	FRP3110	TL66 / GB / TL180	FCP2	H/W
КТМ	GTX	GT	FRP3159	GB	FRP212	G/W
ктм	X-BOW GT4	GT4	FRP3039	GB	FRP1078	TL163 / H / WB
LAMBORGHINI	HURACAN GT3 2015->2018	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / WB
LAMBORGHINI	HURACAN GT3 EVO 2019 ->2021	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / WB
LAMBORGHINI	HURACAN GT3 EVO 2 2022 -> 2023	GT3	FRP3168	TL66 / GB / TL180	FRP3029	TL163/H /W
LAMBORGHINI	HURACAN GT3 EVO 2 2024 ->	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / WB



MANUFACTURER	MODEL	TYPE	FRONT	COMPOUND	REAR	COMPOUND
LAMBORGHINI	GALLARDO GT3 / SUPERTROFEO	ONE MAKE SERIES	FRP3110	TL66 / GB / TL180	FRP1078	TL163 / H / WB
LAMBORGHINI	HURACAN SUPERTROFEO STD/ EVO 1	ONE MAKE SERIES	FRP3128	GB	FRP1078	TL163 / H / WB
LAMBORGHINI	HURACAN SUPERTROFEO EVO 2 2022 ->	ONE MAKE SERIES	FRP3165	TL66 / GB / TL180	FRP3029	TL163 / H / W
LIGIER	LIGIER LMP3	LMP3	FRP3110	TL66 / GB / TL180	FRP3110	TL66 / GB / TL180
LIGIER	LIGIER LMP4	LMP4	FRP3110	TL66 / GB / TL180	FRP3110	TL66 / GB / TL180
LIGIER	JSR-2	ONE MAKE SERIES	FRP3099	W	FCP1281	Н
LOTUS	EVORA GT2 ENDURANCE	GT	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB
LOTUS	EVORA GT2 SPRINT	GT	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB
MASERATI	MC20 GT2	GT2	FRP3165	TL66 / GB / TL180	FRP3029	TL163 / H / W
MASERATI	TROFEO GT4	ONE MAKE SERIES	FRP3110	TL66 / GB / TL180	FRP308	W/Z/H
MCLAREN	720S GT3 (FROM 2019)	GT3	FRP3153	TL66 / GB / TL180	FRP1078	TL163 / H / WB
MCLAREN	570S GT4	GT4	FRP3014	GB / TL66	FRP302	TL163 / W
MERCEDES-BENZ	AMG GT2 2022 ->	GT2	FRP3169	GB / TL180	FRP1078	TL163 / H / WB
MERCEDES-BENZ	AMG GT3 2017 -> 2019	GT3	FRP3155	GB / TL180	FRP1078	TL163 / H / WB
MERCEDES-BENZ	AMG GT3 EV0 2019 ->	GT3	FRP3155	GB / TL180	FRP1078	TL163 / H / WB
MERCEDES-BENZ	SLS GT3 ENDURANCE	GT3	FRP3128	GB	FRP1078	TL163 / H / WB
MERCEDES-BENZ	SLS GT3 SPRINT	GT3	FRP3110	TL66 / GB / TL180	FRP1078	TL163 / H / WB
MERCEDES-BENZ	AMG GT4 2017 -> 2023	GT4	FRP3155	TL66 / GB	FRP1078	TL163 / H / WB
MERCEDES-BENZ	AMG GT4 2024 ->	GT4	FRP3155	TL66 / GB	FRP1078	TL163 / H / WB
MITSUBISHI	EVO IX GR.N	RALLY - Group N	FRP3088	R/Z/G	FRP308	R/Z/G

BRAKE PADS APPLICATIONS & SHAPES



MANUFACTURER	MODEL	TYPE	FRONT	COMPOUND	REAR	COMPOUND
MITSUBISHI	EVO X GR.N	RALLY - Group N	FRP3088	R/Z/G	FRP308	R/Z/G
MYGALE	FORMULA 4 up to 2022	FORMULA	FCP1562	H/W/R	FCP1562	H/W/R
MYGALE	FORMULA 4 f rom 2023	FORMULA	FRP3103	W/H	FRP3103	W/H
NISSAN	NISMO GT-R GT3 FROM 2015	GT3	FRP3155	TL66 / GB / TL180	FRP212	H/W
OPEL	ASTRA TCR	TCR	FRP3014	GB/TL180	FCP825	H/W
PEUGEOT	206 S1600	RALLY	FRP3070	R/W		
PEUGEOT	207 S2000	RALLY	FRP3140	R / Z / G	FRP3140	R/Z/G
PEUGEOT	207 S2000 EV0 TARMAC	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
PEUGEOT	208 R5	RALLY	FRP1077	R/Z/G	FRP1077	R/Z/G
PEUGEOT	208 RALLY4	RALLY	FRP1077	R / Z / G	FRP1077	R/Z/G
PEUGEOT	308 TCR	TCR	FRP3014	GB / TL180	FCP825	H/W
PORSCHE	996 RSR GT2	GT2	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB
PORSCHE	991 GT3R MKII 2019 - >	GT3	FRP3155	TL66 / GB / TL180	FRP1078	TL163 / H / WB
PORSCHE	992 GT3 2023 ->	GT3	FRP3155	TL180	FRP1078	TL163
PORSCHE	997 GT3R (GT3 CATEGORY) Endurance	GT3	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB
PORSCHE	997 GT3R (GT3 CATEGORY) Sprint	GT3	FRP3110	TL66/GB/ TL180	FRP1078	TL163 / H / WB
PORSCHE	718 Cayman GT4 2016->	GT4	FRP3151	TL66	FRP3152	TL66 /TL163
PORSCHE	991 RSR (GTE CATEGORY) UP TO 2015	GTE	FRP3110	TL66 / GB / TL180	FRP1078	TL163 / H / WB
PORSCHE	991 RSR (GTE CATEGORY) UP TO 2015 ENDURANCE	GTE	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB
PORSCHE	991 RSR (GTE CATEGORY) 2017 ->	GTE	FRP3155	TL66/GB/ TL180	FRP1078	TL163 / H / WB
PORSCHE	996 RSR GTE	GTE	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB



BRAKE PADS APPLICATIONS & SHAPES



MANUFACTURER	MODEL	TYPE	FRONT	COMPOUND	REAR	COMPOUND
PORSCHE	997 RSR (GTE CATEGORY) Endurance	GTE	FRP3031	TL66 / GB	FRP1078	TL163 / H / WB
PORSCHE	997 RSR (GTE CATEGORY) Sprint	GTE	FRP3110	TL66 / GB / TL180	FRP1078	TL163 / H / WB
PORSCHE	991 CUP 2016 ->	ONE MAKE SERIES	FRP3151	GB / TL66	FRP3152	GB / TL66 / TL163
PORSCHE	992 CUP 2021 ->	ONE MAKE SERIES	FRP3110	TL66 / GB / TL180	FRP1078	TL163/WB
PORSCHE	997 CUP	ONE MAKE SERIES	FRP3096	ZB	FRP3095	Н
RENAULT	Clio CUP from 2016	ONE MAKE SERIES	FRP3160	GB	FCP541	Н
RENAULT	Clio V Rally 3	RALLY	FRP3163	TL180	FRP3163	TL180
RENAULT	Clio V Rally 4	RALLY	FRP3163	TL66 / TL180		
RENAULT	Clio V Rally 5	RALLY	FRP3158	G / W	FCP541	Н
SEAT	LEON TCR (ALCON CALIPERS)	TCR	FRP3014	GB / TL180	FCP809	H/W
SEAT	LEON TCR (AP RACING CALIPERS)	TCR	FRP3014	GB / TL180	FCP825	H/W
SKODA	FABIA R5	RALLY	FRP3140	R/Z/G	FRP3140	R/Z/G
SKODA	FABIA R5 EVO/ RALLY 2	RALLY	FRP1077	R/Z/G	FRP1077	R/Z/G
SKODA	FABIA S2000	RALLY	FRP3140	R / Z / G	FRP3140	R/Z/G
SKODA	FABIA S2000 EVO	RALLY	FRP3140	R / Z / G	FRP3140	R/Z/G
SRT	VIPER GT3	GT3	FRP3031	TL66/GB		
SUBARU	IMPREZA TCR	TCR	FRP3014	GB / TL180	FCP825	H/W
SUZUKI	IGNIS/SWIFT S1600	RALLY	FRP1077	R/Z/G		
TATUUS	F3 REGIONAL 2019	FORMULA	FRP308	W/Z	FRP308	W / Z
TATUUS	FORMULA 4 TATUUS up to 2022	FORMULA	FCP1562	H/W/R	FCP1562	H/W/R
TATUUS	FORMULA 4 TATUUS 2023 ->	FORMULA	FRP3103	W	FRP3103	W
ΤΟΥΟΤΑ	SUPRA GT4 -> 2022	GT4	FRP3153	TL66 / GB	FRP1078	TL163 / ZB / WB
ΤΟΥΟΤΑ	SUPRA GT4 2023 ->	GT4	FRP3153	TL66 / GB	FRP1078	TL163 / ZB / WB
VOLKSWAGEN	POLO R5	RALLY	FRP1077	R/Z/G	FRP1077	R/Z/G
VOLKSWAGEN	GOLF TCR	TCR	FRP3014	GB / TL180	FCP825	H/W



Below the list of the Ferodo Racing brake shapes mentioned in the previous applications pages, including their dimentions.



W 61.8mm - H 56.6mm - T 15mm - RD 42mm

FCP809



W 63.4mm - H 55mm - T 14.4mm - RD 42.5mm

FCP541



W 87.4mm - **H** 52.9mm - **T** 15mm - **RD** 40.8mm

FCP825



W 70mm - H 57.9mm - T 14.5mm - RD 43mm



W 131.8mm - H 67mm - T 18mm - RD 51.7mm

FCP1334



W 131.8mm - H 77.2mm - T 16mm - RD 61mm



FCP1562



W 77.6mm - H 66mm - T 14.5mm - RD 45mm

FRP212



W 132.4mm - H 56mm - T 20.3mm - RD 50.3mm



W 131.8mm - H 62.2mm - T 20mm - RD 49mm



W 99.8mm - H 46mm - T 20mm - RD 43.6mm

FRP1077

0

W 131.8mm - H 62.2mm - T 16mm - RD 49mm



W 131.8mm - H 62.2mm - T 25mm - RD 49mm



FRP3014



W 152.1mm - H 68.9mm - T 25mm - RD 54mm

FRP3029



W 139.8mm - H 61.4mm - T 26mm - RD 48.4mm



FRP3039



W 163.1mm - H 69mm - T 25mm - RD 54mm

FRP3070



W 132mm - H 61mm - T 18mm - RD 42.5mm

FRP3088



W 139.8mm - H 69mm - T 17.5mm - RD 61.5mm



FRP3095



W 130.8mm - H 70.4mm - T 19mm - RD 60.4mm

FRP3096



W 190.4mm - H 101mm - T 19mm - RD 63.5mm

FRP3099



W 189.8mm - H 73mm - T 17.5mm - RD 48mm



W 103.8mm - H 45mm - T 16mm - RD 37.5mm



W 163.8mm - H 66mm - T 25mm - RD 52.5mm



W 163.5mm - H 76mm - T 25mm - RD 61.5mm



FRP3137



W 109.8mm - H 63mm - T 16mm - RD 47mm

FRP3140



W 139.8mm - H 61.4mm - T 16mm - RD 48.4mm

FRP3150



W 163.9mm - H 77.7mm - T 30mm - RD 62mm



W 168.1mm - H 65.2mm - T 28mm - RD 57mm



W 123.4mm - H 55.3mm - T 26mm - RD 49mm



W 163.8mm - H 76.9mm - T 29mm - RD 61.5mm



FRP3155



W 163.1mm - H 74.4mm - T 30mm - RD 63.6mm

FRP3158



W 132.8mm - H 60mm - T 17.5mm - RD 52mm

FRP3159



W 163.1mm - H 69mm - T 25mm - RD 51mm

FRP3160



W 149mm - H 60mm - T 18mm - RD 51.7mm



W 143.7mm - H 56.9mm - T 16mm - RD 47mm



W 172mm - H 102mm - T 32mm - RD 68mm



FRP3167



W 171mm - H 72.2mm - T 25.2mm - RD 53.5mm

FRP3168



W 172mm - H 89.3mm - T 32mm - RD 68mm



W 163.1mm - H 74.4mm - T 28mm - RD 63.6mm



RULE THE TRACK!

41

To dominate in the most iconic endurance races in the world, what's better than relying on brake pads with sprint race performance combined with endurance race longevity?

FERODO®

RACING

Choose FERODO Racing's latest brake pad compounds TL180 (front) and TL163 (rear), Choose the power of performance!

YEAR

FERODO

www.ferodoracing.com



FEDERAL-MOGUL ITALY Srl Racing & Motorcycle Division

Corso Inghilterra, 2 12084 Mondovì (CN) **ITALY**







Ferodo® is a registered trademarks of Tenneco Inc. or one or more of its subsidiaries in one or more countries.

CAR & GUY

8

www.ferodoracing.com

